Sensitive Plant Species in Weed Management Areas on the Helena National Forest

Final Report

Prepared for the:

Helena National Forest

by

Drake Barton and Susan Crispin

Montana Natural Heritage Program

Natural Resource Information System Montana State Library

December, 2002



Sensitive Plant Species in Weed Management Areas on the Helena National Forest

Prepared for the Helena National Forest Helena, Montana

Under USFS Agreement # 43-03H6-1-0098

by Drake Barton and Susan Crispin

Montana Natural Heritage Program 1515 East Sixth Avenue Helena, Montana 596201800







© 2002 Montana Natural Heritage Program

P.O. Box 201800 1515 East Sixth Ave Helena, Montana 59620-1800

This document should be cited as:

Barton, D. and S. Crispin. 2002. Sensitive Plants in Weed Management Areas on the Helena National Forest. Final Report to the Helena National Forest. Montana Natural Heritage Program, Helena, MT. 17 pp. plus appendices.

EXECUTIVE SUMMARY

The purpose of this work was to document occurrences of U.S. Forest Service (USFS)
Sensitive Plant Species on the Helena National
Forest for the development of a weed
Environmental Impact Statement and to provide information for current weed treatment efforts on the Forest. A secondary objective was to gather additional distribution and habitat information on Sensitive plant species in the Helena National
Forest. The sites surveyed include known occurrences of Sensitive plant species, as well as potentially suitable locations as predicted by habitat modeling conducted by the Montana Natural Heritage Program (MTNHP).

Habitat modeling for Sensitive Species identified 646 sites with potential habitat in or near areas targeted for weed treatment. Of these, we surveyed or sampled 435 potential habitat polygons and documented USFS Sensitive Species at 24 locations. Sixteen were newly documented, five previously known occurrences were revisited and new sub populations were added or existing population numbers were significantly expanded. Additionally, three sites were revisited and the populations were confirmed. These included seven occurrences of Polygonum douglasii spp. austinae (Austinís knotweed), fourteen occurrences of Cirsium longistylum (long-styled thistle), and three occurrences of *Phlox kelseyi* var. missoulensis (Missoula phlox). Two previously documented occurrences were sought but not relocated. We did not locate any Grindelia howellii (Howellis gumweed) on Helena National Forest lands. Two localities for Botrychium paradoxum (peculiar moonwort) were reported by USFS staff in 2001, one of which we revisited in 2002.

In addition to the USFS Sensitive species that were specifically targeted, we also identified new occurrences of *Draba densifolia* (dense-leaf draba), and *Astragalus convallarius* var. *convallarius* (lesser rushy milkvetch). Neither of these taxa is currently considered USFS Sensitive, however they are Montana Species of Concern, ranked S2 by MTNHP.

Many of these Sensitive Species are successional and are often found in disturbed habitats.
Polygonum douglasii spp. austinae and Cirsium longistylum are often found along roadways, a vector for the spread of weeds. Botrychium paradoxum and Astragalus convallarius var. convallarius are found in rough fescue grasslands that are quickly being invaded by weeds such as spotted knapweed (Centaurea maculosa) and Dalmatian toadflax (Linaria dalmatica). When Sensitive Species are located in relatively weed free areas, monitoring these sites to catch any weed infestations early will help to preserve the quality of theses habitats.

Weed treatments in areas with populations of Sensitive plants can be designed to reduce negative impacts to these species. Most important are avoiding overspray of herbicides and, when possible, spot spraying to specifically target weed species. Herbicide applications can also be timed to minimize damage to Sensitive plant populations. In some cases, care will be needed to correctly identify target weed species, especially since *Cirsium longistylum* can be easily mistaken for weedy thistles.

Weeds impact the quality of the habitat for Sensitive plant species, and effective weed treatment will be important for the long-term viability of Sensitive plant populations on National Forest lands.

ACKNOWLEDGEMENTS

We wish to thank those who contributed to the accomplishment of this project. A special thanks to Lois Olsen, Helena National Forest Ecologist, for providing logistical support and arranging access to controlled areas; Keith Leatherman of the Helena Ranger District for directions to some difficult to locate areas; Dea Nelson and Jodie Canfield of the Townsend Ranger District for advise on roads and permits to access areas controlled due to the fires of 2000. We wish to thank Dave Dyer for access to the MONTU Herbarium and Joe Elliott for advice and suggestions. We also wish to thank Amy Taylor for her diligent fieldwork.

TABLE OF CONTENTS

| EXECUTIVE SUMMARY | i |
|--|----|
| ACKNOWLEDGEMENTS | |
| INTRODUCTION | 1 |
| METHODS | 1 |
| Potential Habitat Modeling Analysis | 1 |
| Field Surveys | 2 |
| RESULTS | 3 |
| Polygonum douglasii ssp. austinae (Austinís knotweed) | |
| Cirsium longistylum (long-styled thistle) | 6 |
| Phlox kelseyi var. missoulensis (Missoula phlox) | 10 |
| Draba densifolia (dense-leaf draba) | 11 |
| Astragalus convallarius var. convallarius (lesser rushy milkvetch) | 12 |
| Botrychium paradoxum (peculiar moonwort) | 12 |
| Botrychium crenulatum (wavy moonwort) | 13 |
| Grindelia howellii (Howellis gumweed) | 13 |
| DISCUSSION and RECOMMENDATIONS | 13 |
| Polygonum douglasii ssp. austinae | 13 |
| Cirsium longistylum | 14 |
| Phlox kelseyi var. missoulensis | 14 |
| Draba densifolia | 15 |
| Astragalus convallarius var. convallarius | 15 |
| Botrychium paradoxum | 15 |
| General Conclusions | |
| REFERENCES | 17 |
| | |

FIGURES and TABLES

- Table 1. Occurrences of Polygonum douglasii ssp. austinae
- Table 2. Occurrences of Cirsium longistylum
- Table 3. Occurrences of Phlox kelseyi var. missoulensis
- Table 4. Occurrences of Draba densifolia
- Table 5. Occurrences of Astragalus convallarius var. convallarius
- Table 6. Occurrences of Botrychium paradoxum

APPENDICES

Appendix A - Global/State Rank Definitions

Appendix B - Maps of Areas Surveyed

Appendix C - Selected Photos of Sensitve Species and habitats